## SELECTMEN'S MEETING MINUTES February 2, 1988

PRESENT: Robert C. Fay, Chairman, Dennis G. Abbott, Andrew C. Woodsome, Jr.

MARK CALDWELL: Mark feels that some area's of the town should be reassessed, specially around the lake. Lake areas should be about a 10% increase. Mark hopes to be done by July 1 so tax bills could be out by Aug. 1. Selectmen asked Mark if he would red tag any possible splits that have gone unnoticed to stop illegal subdivisions. Mark will set up a system to try to double check things. Selectmen suggested that he have one night a week for appointmets in the office so that people will not have to wait so long to hear from him. DEBBY DUPEE & KAY WOODWORTH: Both Debby and Kay looked over the purchase option. They do not agree on the price that was orginally \$4000.00. After a discussion, a price of \$7,500.00 for 7 1/2 acres even after survey shows less, was voted on by the Board. There will be a four hundred dollar non-refundable deposit. The price was agreeable with both parties. Copy of option was given to them to look over.

ANDREWTIMMIS: Andrew discussed with the Board about his meeting with DEP at Carol White's. DEP is paying for Carol and Goodwin Drilling and will give reports to the town. The water volume needed for the vater supply is 5 gals. per minute. If nothing is found at the Dupee property, then they will move to the Dayfield and drill a test well there. Andrew will contact Russell Wright to see about drilling at the Dayfield. Goodwin can drill within a few days at the Dayfield if nothing is found at the other site. Glenn Bean has also given permission to cross on his property to get to the Dupee site and he has offered to spread sand for the drilling rig. Andrew has received one price for updating the Comprehensive Plan of \$25,000.00.

The Board voted to have the micro filming updated. It has not been done for about 10 years.

The Board also voted to amend the General Assistance Ordinance to the new MMA figures.

Candidates night has been set for February 26.

approved\_